

Relativistic Electron Precipitation Patterns in Longitude and Latitude: A Reply to W. R. Sheldon, Et Al.

D. N. BAKER Goddard Space Flight Center Greenbelt, MD 20771

J. B. BLAKE and D. J. GORNEY
Space Sciences Laboratory
Laboratory Operations
The Aerospace Corporation
El Segundo, CA 90245

P. R. HIGBIE, R. W. KLEBESADEL, and J. H. KING Los Alamos National Laboratory Los Alamos, NM 87545

16 February 1989

Prepared for

SCACE DIVISION
AIR FORCE SYSTEMS COMMAND
Los Angeles Air Force Base
P.O. Box 92960
Los Angeles, CA 90009-2960



APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

This report was submitted by The Aerospace Corporation, El Segundo, CA 90245, under Contract No. F04701-85-C-0086-P00019 with the Space Division, P.O. Box 92960, Los Angeles, CA 90009-2960. It was reviewed and approved for The Aerospace Corporation by H. R. Rugge, Director, Space Sciences Laboratory.

Lt Clarence V. Wilcox was the project officer for the Mission-Oriented Investigation and Experimentation (MOIE) Program.

This report has been reviewed by the Public Affairs Office (PAS) and is releasable to the National Technical Information Service (NTIS). At NTIS, it will be available to the general public, including foreign nationals.

This technical report has been reviewed and is approved for publication. Publication of this report does not constitute Air Force approval of the report's findings or conclusions. It is published only for the exchange and stimulation of ideas.

CLARENCE V. WILCOX, LT, USAF

MOIE Project Monitor

SD/CLTPC

JAMES A. BERES, LT COL, USAF

MOIE Program Manager

AFSTC/WCO OL-AB

UNCLASSIFIED

	LASSIFICATION	

				REPORT DOCUM	MENTATION	PAGE				
1a. REPORT SECURITY CLASSIFICATION					1b. RESTRICTIVE MARKINGS					
Unclassified										
2a. SECURITY (CLASSIFICATION	N AUTH	ORITY		3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release;					
2b. DECLASSIF	CATION / DOW	NGRAD	ING SCHEDU	ILE	distribution unlimited.					
4. PERFORMIN	G ORGANIZATI	ION REP	ORT NUMBE	R(S)	5. MONITORING ORGANIZATION REPORT NUMBER(S)					
TR-0088(3940-06)-6					SD-TR-89-05					
6a. NAME OF PERFORMING ORGANIZATION 6b. OFFICE SYMBOL					7a. NAME OF MONITORING ORGANIZATION					
The Aerosp			n	(If applicable)	Space Division					
Laboratory				<u></u>						
6c. ADDRESS (City, State, and	d ZIP Co	de)		7b ADDRESS (City, State, and ZIP Code) Los Angeles Air Force Base					
El Segundo	, CA 9024	5			Los Angeles, CA 90009-2960					
8a. NAME OF FUNDING / SPONSORING (If applicable)					9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER					
ORGANIZA	r.o.v			(If applicable)	F04701-85-C-0086-P00019					
8c. ADDRESS (City, State, and	ZIP Coo	ie)	<u> </u>						
,	,, , -		•		PROGRAM	PROJECT	TASK		WORK UNIT	
					ELEMENT NO.	NO.	NO.		ACCESSION NO.	
Relativist Sheldon et	al.	on Pr	ecipitat	ion Patterns in						
Baker, D.	N. (Godda	rd Sp	ace Flig	ht Center), Blak				e Aeros	space	
13a. TYPE OF	REPORT		13b. TIME C	OVERED TO	14. DATE OF REPO	ORT (Year, Month ruary 16		15. PAGE 10	COUNT	
16. SUPPLEME	NTARY NOTA	TION								
17.	COSATI	CODES		18. SUBJECT TERMS	(Continue on revers	e if necessary ar	nd identif	fy by bloc	k number)	
FIELD	GROUP SUB-GROUP			Precipitation fluxes d C				•		
					Tunes, J.D	16				
		<u> </u>	,	<u> L.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>	····					
119. ABSTRACT	(Continue on	reverse	if necessary	and identify by block	number)					
vistic ele substantia earlier es isolated s other lat	ectrons fral effects stimates oregions, situde and	rom the on to force on the contract of the con	the outer the chemic cipitation is the School control of relations	magnetosphere in stry of the midden fluxes may have the Atlantic Andrews. Here, we divistic electronecipitation.	nto the Earth ile atmospher ave underesti omaly, and ov discuss the	's atmosphe e. It has mated the p erestimated factors whi	re cou been a recipi the p ch inf	ld have rgued tation recipi luence	e that our rates in tation in the	
			•							
20. DISTRIBU	TION / AVAILAB	ILITY O	F ABSTRACT		21: ABSTRACT S	ECURITY CLASSIF	ICATION			
	SIFIED/UNLIMI					ssified				
22a. NAME C	F RESPONSIBL	E INDIV	DUAL			(Include Area Co	de) 22c.	OFFICE S'	YMBOL	


12. PERSONAL AUTHOR(S) (Continued)

Corporation), Higbie, P. R., Klebesadel, R. W., and King, J. H. (Los Alamos National Laboratory)

UNCLASSIFIED

PREFACE

We appreciate very useful conversations with L. B. Callis, M. S. Gussenhoven, and W. R. Sheldon concerning this work. This research was supported by NASA, the U. S. Department of Energy, and by the U. S. Air Force.





In their commentary, Sheldon et al. (1988) point out that the asymmetry of the geomagnetic field relative to the terrestrial surface and overlying atmosphere leads to exceptionally low mirror altitudes for trapped energetic particles with small equatorial pitch angles in the South Atlantic Anomaly (SAA) region. It has been realized for a long time that this feature of the geomagnetic field can result in a strong geographical localization of electron precipitation. Sheldon et al. (1988) therefore conclude that Baker et al. (1987) may have underestimated the precipitation rate of MeV electrons in the South Atlantic Anomaly and overestimated the electron precipitation rate in other latitude and longitude sectors.

In an earlier version of our paper (Baker et al., 1987), we discussed in some detail the issue of non-uniformity of energetic electron precipitation over the outer zone region. We had explicitly noted that the substantial symmetry in the geomagnetic field could give an enhancement in the relativistic electron precipitation in the Southern Hemisphere. We had discussed also that one would not expect precipitation that results from wave-particle interactions to be uniform in longitude, latitude, local time, or time. It is clear that the intensity and energy spectrum of the precipitating electrons will depend upon these and probably other factors. However, the data necessary to model adequately these aspects in any detail, to our knowledge, do not exist. For this reason we decided to restrict our discussion to the simplest case, that of uniform precipitation in latitude and longitude throughout the outer-zone region, recognizing that it must be a great simplification of the real-world situation.

A few specific comments on the effect of the SAA on electron precipitation can be made. The magnitude of the anomaly in the geomagnetic field is a strong function of latitude; by the time the synchronous orbit region is reached, it is small (Gledhill, 1976). A dependence of precipitation rates upon geographic longitude in the synchronous region, where our measurements were made, is not observed (cf., Vampola and Gorney, 1983). Thus, observations referred to by Sheldon et al. (1988) are not characteristic of the situation throughout the outer zone.

The Defense Meteorological Satellite Program (DMSP) spacecraft have made some measurements relevant to this issue. Since the DMSP spacecraft are in a polar, 840-km altitude orbit, their sensor systems respond largely to precipitating particle populations and to particles near the edge of the equatorial loss cone (Gussenhoven et al., 1987). The DMSP electron dosimeter experiment has provided a long-term monitor of the electron environment above several different energy thresholds. Figure 1 shows a yearly averaged (November 1984 -- October 1985) map of the measured electron dose ≥ 1.0 MeV for the DMSP F7 spacecraft as a function of magnetic latitude and magnetic longitude.

The figure shows quite clearly the strong electron precipitation associated with the SAA: This is the intense patch of energetic particle fluxes extending from 0° to ~-40° geomagnetic latitude and centered at ~30° geomagnetic longitude. [Note that this feature probably also contains a large proportion of high energy protons from the inner zone which are not excluded by the DMSP dosimeter (Gussenhoven et al., 1987).] As stated by Sheldon et al. (1988), the SAA precipitation is a significant feature. However, the DMSP data also show intense bands of >1 MeV electrons at higher latitudes (50°-70°) and extending rather substantially around the Earth in longitude. These are the relativistic electron features that Baker et al. (1987) documented at higher energies and interpreted as being of middle atmospheric significance. Indeed, the DMSP latitudinal pattern shown is very similar to that used by Baker et al. (1987) for their global energy input calculations.

In a study of the global electron relationship, Higbie et al. (1987) compared daily averages of electron fluxes measured on four different spacecraft platforms. This included the Spectrometer for Energetic Electrons (SEE) \geq 2 MeV data at 6.6 R_E reported by Baker et al. (1987), the >1 MeV DMSP data summarized above in Fig. 1., available \geq 0.5 MeV electron measurements from the Global Positioning Satellite (GPS) at a 4 R_E circular orbit (inclination ~60°), and >1 MeV electron data from a satellite in a Molniya-type orbit. It was found that virtually every significant flux

peak in the SEE data has its counterpart in the DMSP data. Highie et al. (1987) noted that this correspondence extended also to the GPS and the Molniya data sets. Hence, it was on this basis that it was concluded that there was a truly global, reasonably homogeneous relativistic electron population in the Earth's outer magnetosphere and that there is a remarkably close temporal correlation between electron fluxes measured at DMSP and at geostationary orbit.

We are presently trying to quantify and extend our understanding of the precipitation of relativistic electrons in the outer magnetosphere. We have been carrying out studies with Callis and coworkers (Callis and Natarajan, 1986; Callis et al., 1988) in an attempt to directly relate changes in the middle atmospheric chemistry to enhancements in outer zone relativistic electrons. Such direct correlations, if they exist, clearly are part of the definitive evidence -- the "smoking gun" -- we seek. We are convinced that data from rockets, balloons, and low-altitude satellites collected on a long-term basis are required to resolve the question of the significance of these relativistic electrons within the context of middle atmosphere-magnetosphere coupling. We believe that observations such as described by Sheldon et al. (1988) will be part of the complete story and that, at lower latitudes, effects of the SAA will appear.




Fig. 1. Map of Energetic Electron Dose as Observed by the DMSP F7 Satellite at Low Altitude Averaged Over One Year (Nov. 1984 - October 1985). In this geomagnetic coordinate system, the horns of the outer radiation belt correspond to bands at geomagnetic latitudes, centered near ±60°. An additional intense region of particle precipitation (due to the Earth's asymmetric magnetic field) is near longitude 30° in the southern hemisphere as discussed in the text. (From Gussenhoven et al., 1987.)

REFERENCES

- Baker, D. N., J. B. Blake, D. J. Gorney, P. R. Higbie, R. W. Klebesadel, and J. H. King, "Highly Relativistic Magnetospheric Electrons: A Role in Coupling to the Middle Atmosphere?" Geophys. Res. Lett., 14, 1027 (1988).
- Callis, L. B. and M. Natarajan, "The forwardtis Coone Minimum: Relationship to Odd Nitrogen, Odd Chloring, one Find Warning and the 11-Year Solar Cycle," J. Geophys. Res. 51, 16 771 (1986).
- Callis, L. B., D. N. Baker, J. B. Plake, R. W. Klebesadel, D. J. Gorney, and M. Natarajan, "Precipitating Relativistic Electrons During 1979-1987; Their Possible Impact on the Chemical State of the Stratosphere," <u>Trans. Am. Geophys. Union</u>, 69, 310 (1988).
- Gledhill, J. A., "Aeronomic Effects of the South Atlantic Anomaly," Rev. Geophys. Space Phys., 14, 173 (1976).
- Gussenhoven, M. S., E. G. Mullen, R. C. Filz, D. H. Brautigam, and F. A. Hanser, "New Low-Latitude Dose Measurements," <u>IEEE Trans. Nucl. Sci.</u>, NS-34, 676 (1987).
- Higbie, P. R., R. W. Klebesadel, D. N. Baker, M. S. Gussenhoven, and J. B. Blake, "The Response of Relativistic Electrons to Geomagnetic Storms," J. Geophys. Res., (1987).
- Sheldon, W. R., J. R. Benbrook, and E. A. Bering, III, Comment on "Highly Relativistic Magnetospheric Electrons: A Role in coupling to the Middle Atmosphere?" Geophys. Res. Lett., (1988).
- Vampola, A. L., and D. J. Gorney, "Electron Energy Deposition in the Middle Atmosphere," J. Geophys. Res., 88, 6267 (1983).

LABORATORY OPERATIONS

The Aerospace Corporation functions as an "architect-engineer" for national security projects, specializing in advanced military space systems. Providing research support, the corporation's Laboratory Operations conducts experimental and theoretical investigations that focus on the application of scientific and technical advances to such systems. Vital to the success of these investigations is the technical staff's wide-ranging expertise and its ability to stay current with new developments. This expertise is enhanced by a research program aimed at dealing with the many problems associated with rapidly evolving space systems. Contributing their capabilities to the research effort are these individual laboratories:

Aerophysics Laboratory: Launch vehicle and reentry fluid mechanics, heat transfer and flight dynamics; chemical and electric propulsion, propellant chemistry, chemical dynamics, environmental chemistry, trace detection; spacecraft structural mechanics, contamination, thermal and structural control; high temperature thermomechanics, gas kinetics and radiation; cw and pulsed chemical and excimer laser development including chemical kinetics, spectroscopy, optical resonators, beam control, atmospheric propagation, laser effects and countermeasures.

Chemistry and Physics Laboratory: Atmospheric chemical reactions, atmospheric optics, light scattering, state-specific chemical reactions and radiative signatures of missile plumes, sensor out-of-field-of-view rejection, applied laser spectroscopy, laser chemistry, laser optoelectronics, solar cell physics, battery electrochemistry, space vacuum and radiation effects on materials, lub. cation and surface phenomena, thermionic emission, photosensitive materials and detectors, atomic frequency standards, and environmental chemistry.

Computer Science Laboratory: Program verification, program translation, performance-sensitive system design, distributed architectures for spaceborne computers, fault-tolerant computer systems, artificial intelligence, microelectronics applications, communication protocols, and computer security.

Electronics Research Laboratory: Microelectronics, solid-state device physics, compound semiconductors, radiation hardening; electro-optics, quantum electronics, solid-state lasers, optical propagation and communications; microwave semiconductor devices, microwave/millimeter wave measurements, diagnostics and radiometry, microwave/millimeter wave thermionic devices; atomic time and frequency standards; antennas, rf systems, electromagnetic propagation phenomena, space communication systems.

Materials Sciences Laboratory: Development of new materials: metals, alloys, ceramics, polymers and their composites, and new forms of carbon; non-destructive evaluation, component fatiure analysis and reliability; fracture mechanics and stress corrosion; analysis and evaluation of materials at cryogenic and elevated temperatures as well as in space and enemy-induced environments.

Space Sciences Laboratory: Magnetospheric, auroral and cosmic ray physics, wave-particle interactions, magnetospheric plasma waves; atmospheric and ionospheric physics, density and composition of the upper atmosphere, remote sensing using atmospheric radiation; solar physics, infrared astronomy, infrared signature analysis; effects of solar activity, magnetic storms and nuclear explosions on the earth's atmosphere, ionosphere and magnetosphere; effects of electromagnetic and particulate radiations on space systems; space instrumentation.